



# ACCESSORI

## SPRAY GUNS

### AIRLESS GUNS MANUAL



#### Airless gun T45 (240 Bar)

Ref. 079000 T45 - swivel M16x1.5

Ref. 079103 T45 - swivel 1/4"



#### Airless gun T65 (240 Bar)

Ref. 079500 T65 - swivel M16x1.5

Ref. 079503 T65 - swivel 1/4"



#### Airless gun P 500 ECO (400 Bar)

Ref. 077000 P 500 ECO - swivel M16x1.5

Ref. 077003 P 500 ECO - swivel 1/4"



#### Airless gun P 500 TOP GUN (400 Bar) high finishin

Ref. 076000 P 500 TOP GUN - swivel M16x1.5

Ref. 076003 P 500 TOP GUN - swivel 1/4"



#### Airless gun P 500 N3 (500 Bar) high finishing

Ref. 078000 P 500 N3 - swivel M16x1.5

Ref. 078001 P 500 N3 - swivel /"



#### Airless gun P 500 N5 (500 Bar) high finishing

Ref. 078700 P 500 N5 - swivel M16x1.5

Ref. 078750 P 500 N5 - swivel 1/4"



#### Airless gun P 500 H (500 Bar)

Ref. 076001 P 500 H - swivel M16x1.5

Ref. 076002 P 500 H - swivel 1/4"

## AIRLESS GUNS MANUAL



#### Airless gun P 500 SS (500 Bar)

Ideal for spraying heated products

Ref. 076010 P 500 S.S. - swivel M16x1.5

Ref. 076013 P 500 S.S. - swivel 1/4"



#### Airless gun IN-LINE

Ref. 075000 IN-LINE



#### Air-mix gun T-MIX ADJUSTABLE

Ref. 078500 T-MIX Adjustable

## AIR GUNS MANUAL

#### Air gun T88



Ref. 088700 T88, pressure

Ref. 088800 T88 with lower cup lt. 1

#### Air gun T2004 HVLP



Ref. 088950 T2004 HVLP, pressure

Ref. 088970 T2004 HVLP with lower cup lt. 1

#### Air gun HVLP



Ref. 077655 HVLP, pressure

Ref. 077650 HVLP with lower cup lt. 1

## AIRLESS GUNS AUTOMATIC



### Airless gun automatic

Ref. 077002 Airless gun automatic, in aluminium (250 Bar)

Ref. 077008 Airless gun automatic, in stainless steel (500 Bar)



### Airless gun automatic MINI

Ref. 070500 Airless gun automatic MINI, in aluminium (250 Bar)

Ref. 070502 Airless gun automatic MINI, in stainless steel (500 Bar)

## AIR-MIX GUNS AUTOMATIC



### Gun T-MIX automatic

Ref. 072000

## AIR GUNS AUTOMATIC



### Air gun automatic T88

Ref. 074000



### Air gun automatic T88 HVLP

Ref. 073000

## AIRLESS GUNS FOR SPRAYING INSIDE PIPES



Ref. 080000 **PNEUS** airless gun cpl. with tip in T.C. (min. 250 mm - max. 700 mm.)



Ref. 080100 **PNEUS MINI** airless gun cpl. with conical tip (min. 30 mm. - max. 200 mm.)

## LANCIA



Ref. 078600 **Lance BEAR** for dense materials, cpl. with sensor and nozzle set in stainless steel

## TIPS

### UNI-T FOR AIRLESS



Ref. 69Uxxx Spray Tip UNI-T cpl. with seal (different sizes)



Ref. 69Uxxx Self-cleaning tip UNI-T complete (different sizes)



Ref. 069020 Base retainer UNI-T with guard



Ref. 069030 Seal UNI-T

### ST FOR AIRLESS



Ref. 62xxx Spray tip T.C. standard (different sizes)



Ref. 077101 Tip cap



Ref. 077218 Gasket ST tip

*How to select UNI-T and ST tip size and proper filter*

Capacity measured in Ltr./min. at following pressures:							
inches (mm)	Spray angle	35 Bar	70 Bar	105 Bar	140 Bar	Part no.	Advised filter
0,007 (0,18)	20°	0,10	0,14	0,17	0,19	69A072	■
0,007 (0,18)	40°	0,10	0,14	0,17	0,19	69A074	■
0,007 (0,18)	60°	0,10	0,14	0,17	0,19	69A076	■
0,009 (0,23)	20°	0,14	0,20	0,25	0,29	69A092	■
0,009 (0,23)	40°	0,14	0,20	0,25	0,29	69A094	■
0,009 (0,23)	60°	0,14	0,20	0,25	0,29	69A096	■
0,011 (0,28)	20°	0,22	0,3	0,38	0,45	69A112	■
0,011 (0,28)	40°	0,22	0,3	0,38	0,45	69A114	■
0,011 (0,28)	60°	0,22	0,3	0,38	0,45	69A116	■
0,013 (0,33)	20°	0,34	0,45	0,56	0,64	69A132	■
0,013 (0,33)	40°	0,34	0,45	0,56	0,64	69A134	■
0,013 (0,33)	60°	0,34	0,45	0,56	0,64	69A136	■
0,015 (0,38)	20°	0,45	0,60	0,75	0,85	69A152	■
0,015 (0,38)	40°	0,45	0,60	0,75	0,85	69A154	■
0,015 (0,38)	60°	0,45	0,60	0,75	0,85	69A156	■
0,018 (0,44)	20°	0,65	0,88	1,10	1,26	69A182	■
0,018 (0,44)	40°	0,65	0,88	1,10	1,26	69A184	■
0,018 (0,44)	60°	0,65	0,88	1,10	1,26	69A186	■
0,021 (0,53)	20°	0,90	1,25	1,55	1,75	69A212	□
0,021 (0,53)	40°	0,90	1,25	1,55	1,75	69A214	□
0,021 (0,53)	60°	0,90	1,25	1,55	1,75	69A216	□
0,023 (0,58)	20°	1,05	1,52	1,85	2,15	69A232	□
0,023 (0,58)	40°	1,05	1,52	1,85	2,15	69A234	□
0,023 (0,58)	60°	1,05	1,52	1,85	2,15	69A236	□
0,026 (0,66)	20°	1,30	1,98	2,30	2,73	69A262	□
0,026 (0,66)	40°	1,30	1,98	2,30	2,73	69A264	□
0,026 (0,66)	60°	1,30	1,98	2,30	2,73	69A266	□
0,031 (0,79)	20°	2,00	2,80	3,45	4,15	69A312	□
0,031 (0,79)	40°	2,00	2,80	3,45	4,15	69A314	□
0,031 (0,79)	60°	2,00	2,80	3,45	4,15	69A316	□
0,036 (0,91)	20°	2,65	3,50	3,82	4,55	69A362	□
0,036 (0,91)	40°	2,65	3,50	3,82	4,55	69A364	□
0,036 (0,91)	60°	2,65	3,50	3,82	4,55	69A366	□

NOT ADVISED

## ADJUSTABLE TIPS FOR AIRLESS



- Ref. 062015 Adjustable tip 015"
- Ref. 062020 Adjustable tip 020"
- Ref. 062024 Adjustable tip 024"
- Ref. 062028 Adjustable tip 028"
- Ref. 062041 Adjustable tip 041"
- Ref. 062049 Adjustable tip 049"

## PRE-ORIFICE FOR AIRLESS



- Ref. 061009 Pre-orifice 009"
- Ref. 061011 Pre-orifice 011"
- Ref. 061013 Pre-orifice 013"
- Ref. 061015 Pre-orifice 015"
- Ref. 061018 Pre-orifice 018"
- Ref. 061021 Pre-orifice 021"
- Ref. 061023 Pre-orifice 023"
- Ref. 061026 Pre-orifice 026"
- Ref. 061031 Pre-orifice 031"

## TIPS FOR T-MIX



- Ref. 078400 T-MIX tips

## SELF-CLEANING TIPS FOR T-MIX



- Ref. 788xxx Kit Self-cleaning tip T-MIX

How to select T-MIX tip size and proper filter

inches (mm)	Spray angle	Advised filter	inches (mm)	Spray angle	Advised filter
0,007 (0,18)	20 °	■	0,013 (0,33)	60 °	■
0,007 (0,18)	40 °	■	0,015 (0,38)	20 °	■
0,009 (0,23)	20 °	■	0,015 (0,38)	40 °	■
0,009 (0,23)	40 °	■	0,015 (0,38)	60 °	■
0,009 (0,23)	60 °	■			
0,011 (0,28)	20 °	■	0,018 (0,44)	20 °	■
0,011 (0,28)	40 °	■	0,018 (0,44)	40 °	■
0,011 (0,28)	60 °	■	0,018 (0,44)	60 °	■
0,013 (0,33)	20 °	■	0,021 (0,53)	20 °	□
0,013 (0,33)	40 °	■	0,021 (0,53)	40 °	□
			0,021 (0,53)	60 °	□

## TIPS FOR AIR GUNS



- Ref. 088913 Nozzle-cap-needle kit for T88 dia. 1,3
- Ref. 088915 Nozzle-cap-needle kit for T88 dia. 1,5 (standard)
- Ref. 088918 Nozzle-cap-needle kit for T88 dia. 1,8



- Ref. 088951 Nozzle-cap-needle kit for T2004 HVLP - dia. 1,0
- Ref. 088952 Nozzle-cap-needle kit for T2004 HVLP - dia. 1,4 (standard)
- Ref. 088953 Nozzle-cap-needle kit for T2004 HVLP - dia. 2,0
- Ref. 088954 Nozzle-cap-needle kit for T2004 HVLP - dia. 2,8

- Ref. 080610 Nozzle-needle kit for HVLP - dia. 1,0
- Ref. 080614 Nozzle-needle kit for HVLP dia. 1,4 (standard)
- Ref. 080616 Nozzle-needle kit for HVLP - dia. 1,6
- Ref. 080618 Nozzle-needle kit for HVLP - dia. 1,8
- Ref. 080620 Nozzle-needle kit for HVLP - dia. 2,0
- Ref. 080628 Nozzle-cap-needle kit for HVLP dia. 2,8

- Ref. 080601 Cap (for HVLP dia. 1,0 - 1,4 - 1,6 1,8 - 2,0)

## FILTERS

### LINE FILTERS



- Ref. 067005 Line filter complete 50 Mesh
- Ref. 067010 Line filter complete 100 Mesh
- Ref. 067015 Line filter complete 150 Mesh
- Ref. 067020 Line filter complete 200 Mesh



- Ref. 067021 Line filter complete 50 Mesh, s.s.
- Ref. 067022 Line filter complete 100 Mesh, s.s.
- Ref. 067023 Line filter complete 150 Mesh, s.s.
- Ref. 067024 Line filter complete 200 Mesh, s.s.



- Ref. 067100 Sieve for line filter 30 Mesh
- Ref. 067105 Sieve for line filter 50 Mesh
- Ref. 067110 Sieve for line filter 100 Mesh
- Ref. 067115 Sieve for line filter 150 Mesh
- Ref. 067120 Sieve for line filter 200 Mesh

## GUN FILTERS




- Ref. 067150 Gun filter kit 50 Mesh (5 pcs)  
WHITE
- Ref. 067200 Gun filter kit 100 Mesh (5 pcs)  
YELLOW
- Ref. 067250 Gun filter kit 150 Mesh (5 pcs)  
RED
- Ref. 067300 Gun filter kit 200 Mesh (5 pcs)  
BLACK

## SUCTION FILTERS



- Ref. 067504 Bell filter



- Ref. 067500 Disc filter 50 Mesh for bell filter
- Ref. 067501 Disc filter 100 Mesh for bell filter



- Ref. 067537 Mini filter, emulsions



- Ref. 067535 Cylindrical Sieve

## FILTERS PACKING



- Ref. 067352 Filter packing for container  
lt. 25 (5 pcs)
- Ref. 067353 Filter packing for container  
lt. 6 (5 pcs)

## SUCTION SYSTEMS FOR AIRLESS



- Ref. 063101 Flexible suction system kit, paints



- Ref. 063152 Flexible suction system kit,  
emulsions



- Ref. 000803 Return hose

## TUBI ALTA PRESSIONE




- Ref. 060000 HP hose d.4 mt. 7,5
- Ref. 060010 HP hose d.6 mt. 5
- Ref. 060020 HP hose d.6 mt. 10
- Ref. 060025 HP hose d.4 mt. 0,90
- Ref. 060030 HP hose d.10 mt. 10



- Ref. 060018 HP hose d.6 textile braid cm. 70
- Ref. 060035 HP hose d.6 textile braid mt. 10
- Ref. 060095 HP hose d.10 textile braid mt. 10

## ROLLERS & EXTENSIONS



- Ref. 077910 Roller, inner feed, cpl. with  
gun and pole



- Ref. 077950 Roller

- Ref. 077911 Cover, inner feed (thin)
- Ref. 077912 Cover, inner feed (medium)
- Ref. 077913 Cover, inner feed (thick)



- Ref. 077730 Extension cm. 30
- Ref. 077750 Extension cm. 50
- Ref. 077770 Extension cm. 70
- Ref. 077800 Extension cm.100
- Ref. 077820 Extension cm. 200



- Ref. 077830 Articulated extension cm. 30
- Ref. 077850 Articulated extension cm. 50
- Ref. 077870 Articulated extension cm. 70
- Ref. 077900 Articulated extension cm. 100
- Ref. 077920 Articulated extension cm. 200

## HOPPERS



- Ref. 003850 Gravity hopper kit lt. 5
- Ref. 003850 Gravity hopper kit lt.19



- Ref. 020150 Elbow



- Ref. 64101 Elbow long

## FITTINGS & NIPPLES



- Ref. 010131 Nipple M1/4" - M16x1,5 - S.S.
- Ref. 012119 Nipple M1/4" - M3/8" - S.S.
- Ref. 013131 Nipple M1/2" - M3/4" - S.S.
- Ref. 022109 Nipple M1/2" - M36x2 - S.S.
- Ref. 023125 Nipple MM 1/2" - S.S.
- Ref. 064010 Nipple MM 16x1,5 - S.S., for HP hose
- Ref. 064018 Nipple M1" - M36x2 - S.S.
- Ref. 064031 Nipple MM1/4" - S.S., for HP hose
- Ref. 064086 Nipple M3/8"- M16x1,5 - S.S.
- Ref. 064087 Nipple M3/8" - M1/2" - S.S.
- Ref. 064091 Nipple M1/2" - M7/8"W - S.S.
- Ref. 064989 Double Nipple 1/2" - 3/4" - S.S.
- Ref. 064990 Double Nipple 1" - 3/4" - S.S.



- Ref. 064012 OG Fitting M1/4" - F 16x1,5 - S.S.
- Ref. 064013 OG Fitting M3/8" - F1/2"
- Ref. 064030 OG Fitting M16x1,5 - F1/4" - S.S.
- Ref. 064032 OG Fitting M16x1,5 - F 16x1,5 - S.S.
- Ref. 064033 OG Fitting M 16x1,5 - F3/8" - S.S.
- Ref. 064034 OG Fitting M3/8" - F16x1,5 - S.S.
- Ref. 064035 OG Fitting M3/8" - F1/4" - S.S.
- Ref. 064036 OG Fitting M1/4" - F3/8" - S.S.
- Ref. 064096 OG Fitting M1/4" - F1/4"



- Ref. 064000 Adaptor for two guns



- Ref. 066000 Pressure gauge with fitting



- Ref. 066003 Pressure gauge 400 Bar



- Ref. 066800 Valve reset kit (only for GOLD 4200/6500/11000)



- Ref. 066010 Shots balance



- Ref. 010128 Dump valve in stainless steel

Distribuito da



**TAIVER S.r.l.**  
 Via Fratelli Cervi, 2  
 20040 Burago di Molgora (MI)  
 Tel. +39 039 59 68 280/1  
 Fax. +39 039 59 68 283  
[taiver@taiver.com](mailto:taiver@taiver.com)  
[www.taiver.com](http://www.taiver.com)